

# Instructions: Sewing a baby pucksack

Instructions No. 1333



**The most beautiful sewing ideas often require only little effort: The cute baby backpack can be quickly sewn by yourself with the help of these instructions!**

For this sewing instruction of our **VBS blogger Svenja** you need 1 m printed Cotton fabric (for the sewing example 140 cm wide fabrics by the meter was used), 1 m Fleece fabric in pink, sewing thread matching the fabric and for the closure either Velcro strap or snaps and pliers. As a helpful handiwork accessory, you should have a pair of fabric scissors and Clover fabric clamps next to the sewing machine

Svenja has developed the Pattern for you. Click on [download template](#). You will receive several PDF pages, which when put together **result in a Pattern in original size**. As a little help Svenja has numbered the pages and drawn circles with numbers at the edges of the pages, which show exactly how to glue the sheets together. The wrap-around cover is made up of three parts: the back, the front and the hood.

## Here's how it's done

### Cutting the fabrics

First the printed side of the fabric is folded once in the middle, so that the width of the fabric is 70 cm when folded. At the folding edge (fabric break), each pattern piece is now placed once and transferred to the fabric with one. The same procedure is now followed with the fleece fabric: Fold and transfer Pattern .

### **Sew front part and hood**

The two Fabric cuts for the front part are now placed right on top of each other (printed side and "good" fleece side), fixed with Pins or with Clover Wonder Clips and sewn together at the top edge (see photo: blue line). The resulting front part is turned over and the seam is stitched again from the right side. Now the Fabric cuts of the hood are also placed on the right side, fixed, sewn together and then turned over.

### **Joining and sewing together**

In the next step, the different pieces of fabric are joined together to fit together perfectly: First, the back part is spread out with the right (printed side up). With Cotton fabric down, the hood and front part are then placed on the back-Fabric cut, with the fleece fabric as the top layer on top, right side down. The pieces of fabric are stapled or tucked together well, and except for a turning opening on one side, the fabric is sewn all the way around. Turn the sewing over and close the turn opening (sew the fabric together). A baby wrap blanket has been created.

### **Closures**

For a real backpack, either a Velcro strap is now sewn onto the side panels or snap fasteners are used.



Sew the **front part** together as shown with the blue auxiliary line.



Sew the **head piece** together as shown with the blue auxiliary line.



**Belt slot** for the baby car seat On Pattern there is a marking for the belt slot. This is transferred to the back of the finished blanket and is made like a buttonhole: sewed around with a zigzag stitch and finally carefully cut in.

## **This idea is timelessly beautiful!**

Some Article are unfortunately no longer available

But this idea is too good to withhold from you. We would be happy to continue to present it to you - let yourself be inspired!

## **New instructions**

Straight to your inbox every week

register now >

## Article information:

Article number	Article name	Qty
23263	Cotton fabric "La Luna"	1
21445	Fleece fabric "Lamb Rosé"	1
393508	VBS Sewing thread set "Assorted colours"	1
360289	Glass head-Pins Prym, 30 mm	1
133227-01	Velcro strapself-adhesiveWhite	1
23118	Prym VARIO Creative Tool, Ergonomics	1
389778	Snaps button pliers, incl. accessories	1
36202301	Prym scissors Professional tailor scissors	1
347556	KREUL Disappearing ink pen	1